



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

$GH+FH=\frac{2AE \times AB}{2AB}$  or  $=AE$ . The same result would follow wherever, in the base  $AB$ , the point  $H$  is taken so that  $FH+HG$  is constant and equal to  $AE$  or  $BD$ . *Q. E. D.*

This problem was also solved in an elegant manner by *J. A. Calderhead, Charles E. Myers, Professor G. B. M. Zerr, P. S. Berg, and Professor H. C. Whitaker.*

## PROBLEMS.

**21. Proposed by CHARLES E. MYERS, Canton, Ohio.**

A cistern 6 feet in diameter contains 3 inches of water. If a cylinder, four feet long and one foot in diameter, be laid in a horizontal position on the bottom, to what height will the water rise?

**22. Proposed by J. A. TIMMONS, St. Marys, Kentucky.**

Given, the perimeter of a triangle  $=100(2s)$ , the radius of the inscribed circle  $=9(r)$ , and the radius of the circumscribed circle  $=20(R)$ ; it is required to find (1) the sides of the triangle, (2) the radius of the circle circumscribing the triangle formed by bisecting the exterior angles of the original triangle, (3) the area of the triangle thus formed; all in terms of  $R, r, s$ .

**23. Proposed by E. L. PRATT, Tecumseh, Nebraska.**

The ordinate of the point  $P$  of an ellipse is produced to meet the circle described on the major axis as diameter at  $Q$ .  $CQ$ , the straight line joining  $Q$  and the center of the ellipse, is tangent to the circle described on the focal radius of  $P$  as diameter.

If  $\theta$  is the excentric angle of  $P$  prove that

$$\sin 2\theta = \frac{2(2a+b) \pm 4\sqrt{a(a+b)}}{a-b}$$

**24. Proposed by T. W. PALMER, Professor of Mathematics in the University of Alabama.**

Two right triangles have the same base, the hypotenuse of the first is equal to 60, of the second 40. The point of intersection of the two hypotenuses is at the distance 15 from the base. Find the length of the base.

**25. Proposed by L. B. FRAKER, Weston, Ohio.**

The sides of a quadrilateral board are  $AB=7$  inches,  $BC=15$  inches,  $CD=21$  inches, and  $DA=13$  inches; radius of inscribed circle is 6 inches. (1) What are dimensions of the largest rectangular board that can be cut out of the given board, (2) largest square, (3) largest equilateral triangle? (Please solve without use of the calculus.)

**26. Proposed by J. F. W. SCHEFFER, A. M., Hagerstown, Maryland.**

$ABCD$  represents a rectangle, and  $ABEF$  a trapezoid which is perpendicular to the rectangle, both figures having the side  $AB$  common to each other, and  $ADF$  and  $BCE$  forming two right triangles perpendicular to the rectangle  $ABCD$ . To determine the conoidal surface  $CDFE$  so as to satisfy the condition that any plane laid through  $AB$  will intersect it in a straight line. Also find volume of the solid thus formed.

**27. Proposed by ADOLPH BAILOFF, Durand, Wisconsin.**

A line  $BE$ , that bisects an angle exterior to the vertical angle of an isosceles triangle is parallel to the base  $AC$ .